# RCC SERIES
## Cove Heater Gen II (NEW!)



### *Technical Specifications*:

**Length**: 24” - 118”
**Output**: 210-1800 watts

### *Ideal Spaces*:

Offices & Retail Spaces
Hallways & Lobbies
Conference Rooms
Day Care Centers
Assisted Living Facilities
Laboratories
Living Rooms & Kitchens
Bathrooms & Basements

Beige White

- Ideal for primary or supplemental comfort heat
- Perfect where wall space is limited and gentle heat is desired
- Provides clean, gentle, comfortable heat while allowing full usage of wall and floor spaces
- No noise. No moving parts. No maintenance. No ceilings, walls or drapes to clean. No dry air
- Extruded aluminum front panel provides a high efficiency, radiating surface
- Easy surface-mount installation
- Simple & Fast One-Person Installation
- Universal Junction Box: Feed power to either end of heater
- Ribbed front for maximum surface radiation
- 1/2” diameter knockouts for 1/2” conduit
- Open on top and bottom for maximum convection heating room air
- Element wattage density of approximately 150 watts per linear foot
- Full length back case construction of electrogalvanized steel with baked enamel finish.

c UL us

5 YEAR WARRANTY ELEMENT

2 YEAR WARRANTY WORKMANSHIP

# RCC SERIES
Cove Heater

**Scan the QR code to access additional specs and features**

*Models & Specifications:*

| ITEM INFORMATION | | | ELECTRICAL DATA | | | | DIMENSIONAL DATA | |
|---|---|---|---|---|---|---|---|---|
| | CATALOG NO. | UPC | VOLTS | WATTS | BTU/HR. | AMPS | LENGTH | SHIP WT. |
| ◆ | RCC2501-W | 685360186764 | 120 | 210 | 716.5 | 1.8 | 24″ | 5.5 lbs. |
| ◆ | RCC4501-W | 685360186788 | 120 | 420 | 1433 | 3.5 | 34″ | 6.7 lbs. |
| ◆ | RCC6001-W | 685360186801 | 120 | 560 | 1910.7 | 4.7 | 47″ | 9.3 lbs. |
| ◆ | RCC7501-W | 685360186825 | 120 | 700 | 2388.4 | 5.8 | 59″ | 11.2 lbs. |
| ◆ | RCC9001-W | 685360186849 | 120 | 840 | 2866.1 | 7 | 71″ | 13.1 lbs. |
| ◆ | RCC10501-W | 685360186863 | 120 | 935 | 3190.2 | 7.8 | 83″ | 15.3 lbs. |
| ◆ | RCC12001-W | 685360186887 | 120 | 1125 | 3838.5 | 9.4 | 94″ | 16.8 lbs. |
| ◆ | RCC15001-W | 685360186900 | 120 | 1400 | 4776.8 | 11.7 | 118″ | 26 lbs. |
| ◆ | RCC4508-W | 685360186924 | 208 | 420 | 1433 | 2 | 34″ | 6.7 lbs. |
| ◆ | RCC6008-W | 685360186948 | 208 | 560 | 1910.7 | 2.7 | 47″ | 9.3 lbs. |
| ◆ | RCC7508-W | 685360186962 | 208 | 700 | 2388.4 | 3.4 | 59″ | 11.2 lbs. |
| ◆ | RCC9008-W | 685360186986 | 208 | 840 | 2866.1 | 4 | 71″ | 13.1 lbs. |
| ◆ | RCC10508-W | 685360187006 | 208 | 935 | 3190.2 | 4.5 | 83″ | 15.3 lbs. |
| ◆ | RCC12008-W | 685360187020 | 208 | 1125 | 3838.5 | 5.4 | 94″ | 16.8 lbs. |
| ◆ | RCC15008-W | 685360187044 | 208 | 1400 | 4776.8 | 6.7 | 118″ | 21.2 lbs. |
| ◆ | RCC18008-W | 685360187068 | 208 | 1800 | 6141.6 | 8.7 | 118″ | 21.2 lbs. |
| ◆ | RCC4502-W | 685360187082 | 240/208 | 420/315 | 1433/1074.8 | 1.8/1.5 | 34″ | 6.7 lbs. |
| ◆ | RCC6002-W | 685360187105 | 240/208 | 560/420 | 1910.7/1433 | 2.3/2.0 | 47″ | 9.3 lbs. |
| ◆ | RCC7502-W | 685360187129 | 240/208 | 700/525 | 2388.4/1791.3 | 2.9/2.5 | 59″ | 11.2 lbs. |
| ◆ | RCC9002-W | 685360187143 | 240/208 | 840/630 | 2866.1/2149.6 | 3.5/3.0 | 71″ | 13.1 lbs. |
| ◆ | RCC10502-W | 685360187167 | 240/208 | 935/701 | 3190.2/2391.8 | 3.9/3.4 | 83″ | 15.3 lbs. |
| ◆ | RCC12002-W | 685360187181 | 240/208 | 1125/844 | 3838.5/2879.7 | 4.7/4.0 | 94″ | 16.8 lbs. |
| ◆ | RCC15002-W | 685360187204 | 240/208 | 1400/1050 | 4776.8/3582.6 | 5.8/5.0 | 118″ | 26 lbs. |
| ◆ | RCC18002-W | 685360187228 | 240/208 | 1800/1350 | 6141.6/4606.2 | 7.5/6.5 | 118″ | 26 lbs. |

**SKU Legend:** ◆ **= Popular Products** (Contact your local Marley Sales Representative for typically associated lead times)
For Beige, replace the W suffix to catalog number with an N (i.e. RCC2501-N)

# RCC SERIES
## Cove Heater

### *Dimensions and Clearances:*




Heaters are not to be mounted closer than 2½" from drywall ceiling or 6" from vinyl or drop ceiling. Heaters to be mounted at least 6 feet from floor.

*Installers are recommended to wear clean gloves when installing the front covers; reducing the transfer of oil and debris prior to start up.*

### *Optional Accessories:*

| CATALOG NO. | UPC | DESCRIPTION | SHIP WT. |
|---|---|---|---|
| RXT-SPL-W | 685360187242 | ACCY SP STAT LH SIDE WRG WHT | 0.25 lbs. |
| RXT-SPR-W | 685360187266 | ACCY SP STAT RH SIDE WHT | |
| RXT-DPL-W | 685360187280 | ACCY DP STAT LEFT WHT | |
| RXT-DPR-W | 685360187303 | ACCY DP STAT RIGHT WHT | |
| RXT-DPLTP-W | 685360187464 | ACCY DP TP STAT, LH, WHT | |
| RXT-DPRTP-W | 685360187310 | ACCY DP TP STAT, RH, WHT | |

For Beige, replace the W suffix to catalog number with an N (i.e. RCC2501-N)
When selected, all thermostat options will add 3-1/4" to the length of the unit.