


470 Beauty Spot Rd. E Bennettsville, SC 29512

SUBMITTAL SHEET WHT500 SERIES

UTILITY WELL HOUSE HEATER





CAPACITIES 376 or 500 WATTS 120, 208 or 240V 1Ø ONLY

See Selection Chart for all Options

JOB NAME:		
CONTRACTOR:		
SUBMITTED BY:	DATE:	

			HEATER				
TAG/ITEM	QTY.	CATALOG NUMBER	кw	VOLTS	ø	AMPS	BUILT-IN THERMOSTAT

	TAG/ITEM	QTY.	CATALOG NUMBER	DESCRIPTION
ACCESSORIES				
AND				
CONTROLS				

SUBMITTED BY:	DATE	APPROVED BY:	DATE	

ARCHITECT'S AND ENGINEER'S SPECIFICATIONS*

Furnish and install, where indicated on plans, electric heater suitable for well house freeze protection as manufactured by QMark[®], A Marley Engineered Products[®] Brand, Bennettsville, SC. Heaters shall be cETLus Listed.

ENCLOSURE: The heater shall be fabricated of 24-gauge galvanized steel, completely welded, then coated with a corrosive resistant neutral Z polyester powder paint coating.

HEATING ELEMENT: The heating element shall be of non-glowing design consisting of special resistance wire enclosed in a steel sheath to which aluminum fins are mechanically crimped. **CONTROL BOX**: The heater housing shall contain an enclosed tamper proof control box to isolate all live electrical parts from the remainder of the heater. An integral thermostat with a temperature range of 40° F to 70° F shall be completely contained in the control box.

GENERAL: The heater shall be triple rated to operate at 120, 208 or 240 VAC. Shipped wired for 240/208v, field conversion to 120v is quick and easy.


*QMark reserves the right to change specifications without prior notice.


**Limitations: Do not install in areas where water may enter heater unit. Do not locate where air flow may be obstructed.


Models & Specifications:

ITEM IN	FORMATION				
CATALOG NO.	UPC	VOLTS	WATTS	AMPS	SHIP WT.
WHT500	68536008049	240/208/120	500/376/500	2.1/1.8/4.2	6 lbs

Dimensions and Clearances:







No matter the industry or application, Marley Engineered Products has a robust portfolio of innovative, reliable, high-performance comfort heating and ventilation solutions for all your heating needs.

Scan the QR code to access additional specs and features



For more information or assistance on your next project, contact Technical Services at 800-642-4328